

**AERODYNAMIC TORQUE
ON A SPINNING SPHERICAL SATELLITE**

Gerald R. Karr

REPORT R-275

JANUARY, 1966

This work was supported in part by the Joint Services Electronics Program (U. S. Army, U. S. Navy, and U. S. Air Force) under Contract No. DA 28 043 AMC 00073(E).

Portions of this work were also supported by the National Aeronautics and Space Administration under Grant NsG 443.

Reproduction in whole or in part is permitted for any purpose of the United States Government.

DDC Availability Notice: Qualified requesters may obtain copies of this report from DDC. This report may be released to OTS.

AERODYNAMIC TORQUE ON A SPINNING SPHERICAL SATELLITE

Calculations have revealed that a spinning spherical satellite moving through a rarefied atmosphere experiences precessional torque as well as the expected "slow down torque." The objective of this investigation is to determine the angular displacement of a gyroscopic satellite due to aerodynamics for comparison with the small angular displacement due to a general relativity effect described by Schiff.¹ The analysis has shown that the directional movement of the spin axis due to aerodynamic effect is of such magnitude as to dictate the altitude at which the relativity experiment must be orbited in order to reduce the angular displacement in comparison with the 5 to 7 sec of arc per year expected from the Schiff effect. Also of great importance is the finding that measurements of the satellite spin axis movement due to aerodynamics could be used for accurate determination of the molecular accommodation coefficient in the orbital environment. Studies are being made to determine the best way to utilize this new method to measure the accommodation coefficient under actual orbital conditions. Through the use of various material surfaces, surface temperature, and surface roughness, a series of experiments to study gas-surface interactions could be designed.

A torque about the center of mass of the rotating sphere results from the surface interaction of the rarefied gas molecules. The subject of rarified gas dynamics and surface interactions can be found reviewed in references 2 and 3. In this analysis, the accommodation coefficient (α_d) equals the percentage of impinging molecules that are diffusely reflected. The remaining percentage ($1-\alpha_d$) are

specularly reflected from the surface. At the orbital altitudes of interest, the flow is free molecular and the random or thermal motion of the molecules can be neglected in comparison with the orbital velocity of the satellite.² Therefore, all the molecules impinge on the surface with an initial velocity equal to the orbital velocity. We also impose the following restrictions; the accommodation coefficient is constant with time and position on the surface, a circular orbit is fixed with respect to inertial space, and a constant atmospheric density for any one given orbit. Although future work will analyze the effect of removing the above assumptions, the results obtained here are a first order approximation of the aerodynamic effects. The evaluation of the aerodynamic effect seems to be similar to the analysis used by the Nam Tum Po⁴ for application to a satellite having a large surface area to mass ratio and the equations for torque of both analyses are in agreement; however, we apply the analysis to an entirely different satellite.

The torque caused by gas surface interactions was analyzed by viewing the specularly and diffusely reflected molecules separately. The resultant force due to a specular reflection is normal to the surface. Therefore, for a spherical surface, no torque about the center of mass results from specularly reflected molecules. For the diffusely reflected molecules, we evaluate the torque in the following way. First, the force due to the impingement of the molecule depends on the angle of the surface to the flow and in general causes a torque about the center of mass. Second, we take into consideration the

dynamical effect of the reflection. After accommodation to the surface, the molecule is diffusely reflected with a velocity component normal to the surface. This component results in only a normal force as required by the definition of diffuse reflection. However, since the molecules have been accommodated to the surface, each diffusely reflected molecule has also a component of velocity tangent to the surface and equal to the angular velocity of the surface at the point of reflection. Therefore, the diffusely reflected molecules cause a normal force which produces no torque and a tangential force which produces a torque proportional to the angular velocity of the surface at the point of reflection. It is, in fact, this mechanism which produces not only the expected "slow down torque" but also the precessional torque which causes the directional movement of the spin axis.

The coordinate systems to be used in the analysis are shown in Figs. 1 and 2. The X, Y, Z axis is the inertial set with Z toward Polaris and X along the vernal equinox. The x, y, z coordinate system is attached to the orbit with the z axis normal to the orbital plane and the x axis as the ascending node of the orbit. The x_s, y_s, z_s set is attached to the gyro and the x_s axis can be thought of as the line formed where the plane normal to the spin axis intersects the orbital plane. i, j, k , and i_s, j_s, k_s are unit vectors along the x, y, z and x_s, y_s, z_s axes respectively. Also shown in the figures is the gas flow velocity vector which is always in the x, y plane and can be thought to rotate about the center of the satellite




Fig. 1 Arrangement of Co-ordinate Systems




Fig. 2 Co-ordinate Systems Transported to a Common Origin

at the orbital angular velocity. The velocity vector is tangent to the orbital path at all times. Fig. 3 illustrates the spherical coordinate system (η, ξ, R) used to integrate over the surface of the sphere. The angles η and ξ are measured in the x, y, z system. The other angles shown in the figures are defined as follows:

θ_s = angle between satellite spin axis and the normal to orbital plane.

ϕ_s = angle between satellite "line of nodes" and line of nodes of orbit.

θ = angle between the normal to orbital plane and Z axis of the inertial system.

ϕ = angle of nodes of orbit.

α = angle between negative gas flow velocity vector and the orbital line of nodes.

The mass flux of gas molecules impinging upon an element of surface dA is

$$\rho \bar{V} \cdot \bar{n} dA$$

where ρ is the atmospheric density at the orbital altitude, \bar{V} is the velocity vector equal to the orbital velocity, and \bar{n} is the normal to the surface area dA .

Since only the diffusely reflected molecules enter in the torque analysis, we ignore the specularly reflected ones. The impinging molecules exert a torque

$$- (\bar{R} \times \bar{V}) \alpha_d (\rho \bar{V} \cdot \bar{n} dA) .$$

The reflecting molecules exert a torque

$$\bar{R} \times (\bar{\Omega} \times \bar{R}) \alpha_d (\rho \bar{V} \cdot \bar{n} dA)$$

where $\bar{\Omega}$ is the spin vector of the gyro and \bar{R} is the radius vector to




Fig. 3 Co-ordinate System Used for Surface Integration

the surface from the center of mass. The elemental torque $d\bar{L}$ produced by the complete interaction is then the sum of the above expressions, i.e.,

$$d\bar{L} = -\alpha_d [\bar{R} \times (\bar{V} - \bar{\Omega} \times \bar{R}) (\rho \bar{V} \cdot \bar{n} dA)] .$$

Referring now to Figs. 2 and 3 we define the following vectors and terms:

$$\bar{\Omega} = \Omega \mathbf{k}_s = \Omega \sin \theta_s \sin \phi_s \mathbf{i} - \Omega \sin \theta_s \cos \phi_s \mathbf{j} + \Omega \cos \theta_s \mathbf{k}$$

$$\bar{V} = -V \cos \alpha \mathbf{i} - V \sin \alpha \mathbf{j}$$

$$dA = R^2 \sin \eta \, d\eta \, d\xi$$

$$\bar{R} = R \sin \eta \cos \xi \mathbf{i} + R \sin \eta \sin \xi \mathbf{j} + R \cos \eta \mathbf{k}$$

$$R = \text{radius of sphere}$$

$$\bar{n} = \sin \eta \cos \xi \mathbf{i} + \sin \eta \sin \xi \mathbf{j} + \cos \eta \mathbf{k}.$$

We substitute these vectors into the expression for $d\bar{L}$ and integrate over only the surface area in the velocity stream. This is accomplished by first integrating over η from 0 to π . We then integrate over ξ from $\alpha - \frac{\pi}{2}$ to $\alpha + \frac{\pi}{2}$ because α defines the direction of the velocity vector \bar{V} . After integration the instantaneous torque reduces to a function of the angles α , θ_s , and ϕ_s .

$$\begin{aligned} \bar{L} = & -L_o [\sin \theta_s \sin \phi_s (\sin^2 \alpha + 2) + \sin \theta_s \cos \phi_s (\sin \alpha \cos \alpha)] \mathbf{i} \\ & + L_o [\sin \theta_s \sin \phi_s (\sin \alpha \cos \alpha) + \sin \theta_s \cos \phi_s (\cos^2 \alpha + 2)] \mathbf{j} \\ & + 3L_o [\cos \theta_s] \mathbf{k} \end{aligned}$$

where

$$L_o = \alpha_d \frac{\rho V \pi R^4}{4} \Omega .$$

If we now consider the orbit fixed in inertial space, the problem is similar to the classic top or gyro problem where the torque

is defined with respect to a nonmoving frame. To find the resulting motion of the spin axis under the action of the above torque, we must first find its components in the x_s, y_s, z_s system. The torque referred to in this system, \bar{L}_s , becomes

$$\begin{aligned}\bar{L}_s = & L_o [\sin\theta_s \sin\phi_s \cos\phi_s (\cos^2\alpha - \sin^2\alpha) + \sin\theta_s \sin\alpha \cos\alpha \\ & (\sin^2\phi_s - \cos^2\phi_s)] i_s \\ & + L_o [\sin\theta_s \cos\theta_s \cos^2\phi_s (\cos^2\alpha + 2) + \sin\theta_s \cos\theta_s \sin^2\phi_s (\sin^2\alpha + 2) \\ & + 2 \sin\theta_s \cos\theta_s \sin\phi_s \cos\phi_s \sin\alpha \cos\alpha - 3 \cos\theta_s \sin\theta_s] j_s \\ & + L_o [-2 \sin^2\theta_s \sin\phi_s \cos\phi_s \sin\alpha \cos\alpha - \sin^2\theta_s \cos^2\phi_s (\cos^2\alpha + 2) \\ & - \sin^2\theta_s \sin^2\phi_s (\sin^2\alpha + 2) - 3 \cos^2\theta_s] k_s\end{aligned}$$

Since the spin rate of the gyro will be much higher than the angular movements of the spin axis, the Euler equations can be simplified by neglecting terms of small magnitude. The movement of the spin axis is then defined by the following:

$$\begin{aligned}\dot{\theta}_s &= - \frac{L_{y_s}}{I\Omega} \\ \dot{\phi}_s \sin\theta_s &= \frac{L_{x_s}}{I\Omega}\end{aligned}$$

where L_{y_s} and L_{x_s} are the y_s and x_s components of torque, respectively, and I is the moment of inertia about the spin axis. Therefore, the angular displacement for any time t becomes

$$\Delta\theta_s = \int_0^t - \frac{L_{y_s}}{I\Omega} dt$$

$$\Delta\phi_s = \int_0^t \frac{L_{y_s}}{\sin \theta_s I\Omega} dt.$$

Now, for a circular orbit $\alpha = \omega_0 t$ where ω_0 is the constant orbital angular velocity. Therefore,

$$d\alpha = d\omega_0 t = \omega_0 dt$$

$$dt = \frac{d\alpha}{\omega_0}.$$

When $t = 0$ say $\alpha = 0$ and when $t = T =$ time over which measurements are made, $\alpha = 2n\pi$, where n is the number of completed orbits in the time T . Therefore,

$$\Delta\theta_s = \int_0^{2n\pi} - \frac{L_{y_s}}{I\Omega \omega_0} \frac{d\alpha}{\omega_0}$$

$$\Delta\phi_s = \int_0^{2n\pi} \frac{L_{x_s}}{\sin \theta_s I\Omega \omega_0} \frac{d\alpha}{\omega_0}.$$

Looking now at the expressions for L_{y_s} and L_{x_s} we note that the functions of α are periodic within the range 0 to 2π . We can then express the integrals from 0 to $2n\pi$ as n times the integral from 0 to 2π . Also contained in the expressions for $\dot{\theta}_s$ and $\dot{\phi}_s$ are terms containing the trigonometric functions of θ_s and ϕ_s . However, since the change in θ_s and ϕ_s is small over the time of interest, the trigonometric functions of these angles can be considered constant during integration. Therefore,

$$\Delta\theta_s = \frac{n}{I\Omega\omega_0} \int_0^{2\pi} -L_{y_s} d\alpha$$

$$\Delta\phi_s = \frac{n}{\sin \theta_s I\Omega\omega_0} \int_0^{2\pi} L_{x_s} d\alpha.$$

Now,

$$\int_0^{2\pi} L_{x_s} d\alpha = 0$$

while

$$\int_0^{2\pi} -L_{y_s} d\alpha = \pi L_o \sin \theta_s \cos \theta_s .$$

Therefore,

$$\Delta \theta_s = \frac{n\pi L_o}{I\omega_o} \sin \theta_s \cos \theta_s$$

and the movement of the spin axis is a precession causing the spin axis to move into the plane of the orbit if initially out of the plane. However, no precession exists if the spin axis is initially perpendicular to the orbital plane ($\theta_s = 0$) or if the spin axis is in the orbital plane ($\theta_s = \pi/2$). The maximum value of $\Delta \theta_s$ occurs when $\theta_s = \pi/4$. We now substitute the expression for L_o and note the spin rate Ω is not contained in the result,

$$\Delta \theta_s = \frac{m \alpha_d \rho V \pi^2 R^4}{8I \omega_o} \sin 2\theta_s .$$

Now, for a solid sphere made of material density ρ_s , the moment of inertia is

$$I = \frac{8}{15} \rho_s \pi R^5 .$$

Also, V , the orbital velocity, can be expressed as

$$V = R_o \omega_o$$

where R_o is the radius of the orbit measure from the center of the earth. With these substitutions

$$\Delta\theta_s = n\alpha_d \frac{15\pi}{64} \frac{\rho}{\rho_s} \frac{R_o}{R} \sin 2\theta_s .$$

The final expression is seen to be a function of various parameters but only two, ρ and θ_s , are of any importance in reducing or increasing $\Delta\theta_s$. If $87^\circ < \theta_s < 93^\circ$ (the spin axis between $\pm 3^\circ$ of the orbital plane), $\Delta\theta_s$ is reduced by an order of magnitude of its maximum value at $\theta_s = \pi/4$. The effect of atmospheric density is best illustrated by choosing, as a basis for calculation, a solid glass sphere of one foot diameter and take $\alpha_d = 1$, $\theta_s = \pi/4$. Therefore,

$$\rho_s = 2.2 \times 10^3 \text{ kg/m}^3$$

$$R = 1/2 \text{ ft} = 1.5 \times 10^{-1} \text{ m} .$$

With these constants, we plot $\frac{\Delta\theta_s}{\alpha \sin 2\theta}$ versus altitude for a one year experiment. The maximum atmospheric density occurring during an average sunspot cycle⁵ was used at the given altitude. (See Fig. 4)

Through the range of altitude from 100 to 1000 miles, the density decreased by six orders of magnitude. The effect of other parameters is small compared to this, and the angular displacement then also decreases by many orders of magnitude as seen in the plot. By using a 500-mile or higher orbit and retaining the spin axis within $\pm 3^\circ$ of the plane of the orbit, the angular displacement can be kept an order of magnitude less than the Schiff effect.¹ On the other hand, an orbit below 300 miles will cause the aerodynamic effect to dominate and afford accurate determination of the accommodation coefficient.




Fig. 4 Results of Analysis; $\frac{\Delta \theta_s}{\alpha_d \sin 2\theta}$ vs Altitude

To measure the accommodation coefficient we merely find the ratio between the measured $\Delta\theta_s$ to the calculated $\Delta\theta_s$ with $\alpha_d = 1$. This ratio is equal to the actual α_d for the satellite which will range from zero to unity. This illustrates basically how the accommodation coefficient could be measured under actual orbital conditions. The accuracy of the measurement would depend on the accuracy with which the other parameters could be measured. Of those parameters, the atmospheric density (ρ) is the least accurate. However, θ_s will be known to a sec of arc by the method proposed by the Coordinated Science Laboratory⁶ and the other parameters (ρ_s , R , R_o , and n) can be measured to at least one part in one thousand. Therefore, accommodation coefficient could be made to at least one part in one hundred. At the lower altitudes, this accuracy could be realized in a time much less than a year.

REFERENCES

1. "Motion of a Gyroscope According to Einstein's Theory of Gravitation," L. I. Schiff, Proc. N.A.S. (1960).
2. "The Thermal Accommodation Coefficient: A Critical Survey," Wachman, ARS Journ. 32, 2 (January, 1962).
3. "A Synthetic View of the Mechanics of Rarefied Gases," G. N. Patterson, AIAA Journ. 3, 577 (April, 1965).
4. "On the Rotation Motion of a Spherical Satellite Under the Action of Retarding Aerodynamical Moments," Nam Tum Po, NASA TT F-9630 (January 22, 1965).
5. Orbital Flight Handbook, NASA Sp 33, Part 1, p. II 34.
6. Coordinated Science Laboratory, University of Illinois, Urbana, "Quarterly Progress Report" for Dec. 1964, Jan. and Feb., 1965, pp. 1-12.

Distribution list as of March 1, 1965

1 Dr. Chalmers Sherwin Deputy Director (Research & Technology) DD&RE Rm 3E1060 The Pentagon Washington, D. C. 20301	1 Commanding Officer U. S. Army Security Agency Arlington Hall Arlington, Virginia 22212	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-PE	1 Commanding Officer Office of Naval Research Branch Office 1000 Geary Street San Francisco, California 94109
1 Dr. Edward M. Reilly Asst. Director (Research) Ofc. of Defense Res & Eng Department of Defense Washington, D. C. 20301	1 Commanding Officer U. S. Army Limited War Laboratory Aberdeen Proving Ground Aberdeen, Maryland 21005 Attn: Technical Director	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-PF	1 Commanding Officer U. S. Naval Weapons Laboratory Asst. Director for Computation Dahlgren, Virginia 22448 Attn: C. H. Gleissner (Code K-4)
1 Dr. James A. Ward Office of Deputy Director (Research and Information Rm 3D1037) Department of Defense The Pentagon Washington, D. C. 20301	1 Commanding Officer Human Engineering Laboratories Aberdeen Proving Ground, Maryland 21005	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-PR	1 Inspector of Naval Material Bureau of Ships Technical Representative 1902 West Minnehaha Avenue St. Paul 4, Minnesota
1 Director Advanced Research Projects Agency Department of Defense Washington, D. C. 20301	1 Director U. S. Army Engineer/Geodesy, Intelligence and Mapping, Research & Devel. Agency Fort Belvoir, Virginia 22060	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-QF	5 Lt. Col. E. T. Gaines, SREE Chief, Electronics Division Directorate of Engineering Sciences Air Force Office of Scientific Research Washington, D. C. 20333
1 Mr. Charles Yost, Director for Materials Sciences Advanced Research Projects Agency Department of Defense Washington, D. C. 20301	1 Commandant U. S. Army Command and General Staff College Fort Leavenworth, Kansas 66207 Attn: Secretary	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-ADT	1 Director of Science & Technology Deputy Chief of Staff (R & D) USAF Washington, D. C. Attn: AFST-EL/GU
20 Defense Documentation Center Cameron Station, Bldg. 5 Alexandria, Virginia 22314 Attn: TISA	1 Dr. H. Rohl, Deputy Director U. S. Army Research Office (Durham) Box CM, Duke Station Durham, North Carolina 27706	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-FUW1	1 Director of Science & Technology Deputy Chief of Staff (R & D) USAF Washington, D. C. Attn: AFST-SC
1 Director National Security Agency Fort George G. Meade, Maryland 20755 Attn: Librarian C-332	1 Commanding Officer U. S. Army Research Office (Durham) P. O. Box CM, Duke Station Durham, North Carolina 27706 Attn: CRD-AA-IP (Richard O. Ush)	1 Commanding Officer U. S. Army Electronics R&D Activity Fort Huachuca, Arizona 85163	1 Karl M. Fuechel Electronics Division Director of Engineering Sciences Air Force Office of Scientific Research Washington, D. C. 20333
1 Chief of Research and Development Headquarters, Department of the Army Washington, D. C. 20310 Attn: Physical Sciences Division P & E	1 Commanding General U. S. Army Electronics Command Fort Monmouth, New Jersey 07703 Attn: AMSEL-SC	1 Commanding Officer U. S. Army Electronics R&D Activity White Sands Missile Range New Mexico 88002	1 Lt. Col. Edwin M. Myers Headquarters, USAF (AFPRD) Washington 25, D. C.
1 Chief of Research and Development Headquarters, Department of the Army Washington, D. C. 20310 Attn: Mr. L. H. Geiger, Rm 34442	1 Director Dr. S. Benedict Levin, Director Institute for Exploratory Research	1 Director Human Resources Research Office The George Washington University 300 N. Washington Street Alexandria, Virginia	1 Director, Air University Library Maxwell Air Force Base Alabama 36112 Attn: CR-4803a
1 Research Plans Office U. S. Army Research Office 3045 Columbia Pike Arlington, Virginia 22204	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: Mr. Robert O. Parker, Executive Secretary, JSTAC (AMSEL-RD-X)	1 Commanding Officer U. S. Army Personnel Research Office Washington 25, D. C.	1 Commander Research & Technology Division AFSC (Mr. Robert L. Feik) Office of the Scientific Director Bolling AFB 25, D. C.
1 Commanding General U. S. Army Materiel Command Attn: AMCRD-RS-PE-E Washington, D. C. 20315	1 Superintendent U. S. Military Academy West Point, New York 10996	1 Commanding Officer U. S. Army Medical Research Laboratory Fort Knox, Kentucky	1 Commander Research & Technology Division Office of the Scientific Director Bolling AFB 25, D. C. Attn: RYHR
1 Commanding General U. S. Army Strategic Communications Command Washington, D. C. 20315	1 The Walter Reed Institute of Research Walter Reed Army Medical Center Washington, D. C. 20012	1 Commanding General U. S. Army Signal Center and School Attn: Chief, Office of Academic Operations Fort Monmouth, New Jersey 07703	1 Commander Air Force Cambridge Research Laboratories Attn: Research Library CRML-R L. G. Hanscom Field Bedford, Massachusetts 01731
1 Commanding Officer U. S. Army Materials Research Agency Watertown Arsenal Watertown, Massachusetts 02172	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-IR	2 Dr. Richard H. Wilcox, Code 437 Department of the Navy Washington, D. C. 20360	1 Dr. Lloyd Hollingsworth AFCL L. G. Hanscom Field Bedford, Massachusetts 01731
1 Commanding Officer U. S. Army Ballistics Research Lab. Aberdeen Proving Ground Aberdeen, Maryland 21005 Attn: V. W. Richards	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-XE	1 Chief, Bureau of Weapons Attn: Technical Library, DL-3 Department of the Navy Washington, D. C. 20360	1 Commander Air Force Cambridge Research Laboratories Attn: Data Sciences Lab (Lt. S. J. Kahne, CRB) L. G. Hanscom Field Bedford, Massachusetts 01731
1 Commanding Officer U. S. Army Ballistics Research Lab. Aberdeen Proving Ground Aberdeen, Maryland 21005 Attn: Keats A. Pullen, Jr.	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-XC	1 Chief, Bureau of Ships Department of the Navy Washington, D. C. 20360 Attn: Code 680	1 Commander Air Force Systems Command Office of the Chief Scientist (Mr. A. G. Wimer) Andrews AFB, Maryland 20331
1 Commanding Officer U. S. Army Ballistics Research Lab. Aberdeen Proving Ground Aberdeen, Maryland 21005 Attn: George C. Francis, Computing Lab.	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-XS	1 Commander U. S. Naval Air Development Center Johnsville, Pennsylvania Attn: NADC Library	1 Commander Air Force Missile Development Center Attn: NDSGO/Major Harold Wheeler, Jr. Holloman Air Force Base, New Mexico
1 Commandant U. S. Army Air Defense School P. O. Box 9390 Fort Bliss, Texas 79916 Attn: Missile Sciences Div., C&S Dept.	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-NR	1 Commanding Officer Naval Electronics Laboratory San Diego, California 92052 Attn: Code 2222(Library)	1 Commander Research & Technology Division Attn: MATT (Mr. Evans) Wright-Patterson Air Force Base Ohio 45433
1 Commanding General U. S. Army Missile Command Redstone Arsenal, Alabama 35809 Attn: Technical Library	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-NE	1 Commanding Officer and Director (Code 142 Library) David W. Taylor Model Basin Washington, D. C. 20007	1 Directorate of Systems Dynamics Analysis Aeronautical Systems Division Wright-Patterson AFB, Ohio 45433
1 Commanding General Frankford Arsenal Philadelphia, Pa. 19137 Attn: SMUFA-1310 (Dr. Sidney Ross)	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-NP	6 Director Naval Research Laboratory Washington, D. C. 20390 Attn: Technical Information Office (Code 2000)	1 Hqs. Aeronautical Systems Division AF Systems Command Attn: Navigation & Guidance Laboratory Wright-Patterson AFB, Ohio 45433
1 Commanding General Frankford Arsenal Philadelphia, Pa. 19137 Attn: SMUFA-1300	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-SA	1 Commanding Officer Office of Naval Research Branch Office 219 S. Dearborn Street Chicago, Illinois 60604	1 Commander Rome Air Development Center Attn: Documents Library, RAALD Griffiss Air Force Base Rome, New York 13442
1 U. S. Army Munitions Command Picatinny Arsenal Dover, New Jersey 07801 Attn: Technical Information Branch	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-SE	1 Chief of Naval Operations Department of the Navy Washington, D. C. 20350 Attn: OP-07T	1 Commander Rome Air Development Center Attn: RAWI-Major W. H. Hays Griffiss Air Force Base Rome, New York 13442
1 Commanding Officer Harry Diamond Laboratories Connecticut Ave. & Van Ness St., N.W. Washington, D. C. 20438 Attn: Mr. Berthold Altman	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-SR	1 Chief of Naval Operations Department of the Navy Washington, D. C. 20350 Attn: OP-03EG	1 Lincoln Laboratory Massachusetts Institute of Technology P. O. Box 73 Lexington 73, Massachusetts Attn: Library A-082
1 Commanding Officer Harry Diamond Laboratories Attn: Library Connecticut Ave. & Van Ness St., N.W. Washington, D. C. 20438	1 Director U. S. Army Electronics Laboratories Fort Monmouth, New Jersey 07703 Attn: AMSEL-RD-SS		

Continued next page

Distribution list as of March 1, 1965 (Cont'd.)

- 1 Lincoln Laboratory
Massachusetts Institute of Technology
P. O. Box 73
Lexington 73, Massachusetts
Attn: Dr. Robert Kingston
- 1 APGC (PGAPI)
Eglin Air Force Base
Florida
- 1 Mr. Alan Barnum
Rome Air Development Center
Griffiss Air Force Base
Rome, New York 13442
- 1 Director
Research Laboratory of Electronics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139
- 1 Polytechnic Institute of Brooklyn
35 Johnson Street
Brooklyn, New York 11201
Attn: Mr. Jerome Fox
Research Coordinator
- 1 Director
Columbia Radiation Laboratory
Columbia University
538 West 120th Street
New York, New York 10027
- 1 Director
Coordinated Science Laboratory
University of Illinois
Urbana, Illinois 61803
- 1 Director
Stanford Electronics Laboratories
Stanford University
Stanford, California
- 1 Director
Electronics Research Laboratory
University of California
Berkeley 4, California
- 1 Professor A. A. Dougal, Director
Laboratories for Electronics and Related
Science Research
University of Texas
Austin, Texas 78712
- 1 Professor J. K. Aggarwal
Department of Electrical Engineering
University of Texas
Austin, Texas 78712
- 1 Director of Engineering & Applied Physics
210 Pierce Hall
Harvard University
Cambridge, Massachusetts 02138
- 1 Capt. Paul Johnson (USN Ret.)
National Aeronautics & Space Agency
1520 M. Street, N. W.
Washington 25, D. C.
- 1 NASA Headquarters
Office of Applications
400 Maryland Avenue, S.W.
Washington 25, D. C.
Attn: Code FC Mr. A. M. Greg Andrus
- 1 National Bureau of Standards
Research Information Center and Advisory
Serv. on Info. Processing
Data Processing Systems Division
Washington 25, D. C.
- 1 Dr. Wallace Sinsko
Institute for Defense Analyses
Research & Eng. Support Div.
1666 Connecticut Avenue, N. W.
Washington 9, D. C.
- 1 Data Processing Systems Division
National Bureau of Standards
Conn. at Van Ness
Room 239, Bldg. 10
Washington 25, D. C.
Attn: A. K. Smilow
- 1 Exchange and Gift Division
The Library of Congress
Washington 25, D. C.
- 1 Dr. Alan T. Waterman, Director
National Science Foundation
Washington 25, D. C.
- 1 H. E. Cochran
Oak Ridge National Laboratory
P. O. Box X
Oak Ridge, Tennessee
- 1 U. S. Atomic Energy Commission
Office of Technical Information Extension
P. O. Box 62
Oak Ridge, Tennessee
- 1 Mr. G. D. Watson
Defense Research Member
Canadian Joint Staff
2450 Massachusetts Avenue, N. W.
Washington 8, D. C.
- 1 Martin Company
P. O. Box 5837
Orlando, Florida
Attn: Engineering Library MP-30
- 1 Laboratories for Applied Sciences
University of Chicago
6220 South Drexel
Chicago, Illinois 60637
- 1 Librarian
School of Electrical Engineering
Purdue University
Lafayette, Indiana
- 1 Donald L. Epley
Dept. of Electrical Engineering
State University of Iowa
Iowa City, Iowa
- 1 Instrumentation Laboratory
Massachusetts Institute of Technology
68 Albany Street
Cambridge 39, Massachusetts
Attn: Library WI-109
- 1 Sylvania Electric Products, Inc.
Electronics System
Waltham Labs. Library
100 First Avenue
Waltham 54, Massachusetts
- 2 Hughes Aircraft Company
Centinela and Teale Streets
Culver City, California
Attn: K. C. Rosenberg, Supervisor
Company Technical Document Center
- 3 Autonetics
9150 East Imperial Highway
Buenos, California
Attn: Tech. Library, 3041-11
- 1 Dr. Arnold T. Nordsieck
General Motors Corporation
Defense Research Laboratories
6767 Hollister Avenue
Goleta, California
- 1 University of California
Lawrence Radiation Laboratory
P. O. Box 808
Livermore, California
- 1 Mr. Thomas L. Hartwick
Aerospace Corporation
P. O. Box 95085
Los Angeles 45, California
- 1 Lt. Col. Willard Levin
Aerospace Corporation
P. O. Box 95085
Los Angeles 45, California
- 1 Sylvania Electronic Systems-West
Electronic Defense Laboratories
P. O. Box 205
Mountain View, California
Attn: Documents Center
- 1 Varian Associates
611 Hansen Way
Palo Alto, California 94303
Attn: Tech. Library
- 1 Huston Denslow
Library Supervisor
Jet Propulsion Laboratory
California Institute of Technology
Pasadena, California
- 1 Professor Nicholas George
California Institute of Technology
Electrical Engineering Department
Pasadena, California
- 1 Space Technology Labs., Inc.
One Space Park
Redondo Beach, California
Attn: Acquisitions Group
STL Technical Library
- 1 The Rand Corporation
1700 Main Street
Santa Monica, California
Attn: Library
- 1 Miss F. Cloak
Radio Corp. of America
RCA Laboratories
David Sarnoff Research Center
Princeton, New Jersey
- 1 Mr. A. A. Lundstrom
Bell Telephone Laboratories
Room 2E-127
Whippany Road
Whippany, New Jersey
- 1 Cornell Aeronautical Laboratory, Inc.
4455 Genesee Street
Buffalo 21, New York
Attn: J. P. Desmond, Librarian
- 1 Sperry Gyroscope Company
Marine Division Library
155 Glenn Cove Road
Carle Place, L. I., New York
Attn: Miss Barbara Judd
- 1 Library
Light Military Electronics Dept.
General Electric Company
Armament & Control Products Section
Johnson City, New York
- 1 Dr. E. Howard Holt
Director
Plasma Research Laboratory
Rensselaer Polytechnic Institute
Troy, New York
- 1 Battelle-DEFENDER
Battelle Memorial Institute
505 King Avenue
Columbus 1, Ohio
- 1 Laboratory for Electrosence Research
New York University
University Heights
Bronx 53, New York
- 1 National Physical Laboratory
Teddington, Middlesex
England
Attn: Dr. A. M. Uttley, Superintendent,
Autonomics Division
- 1 Dr. Lee Huff
Behavioral Sciences
Advanced Research Projects Agency
The Pentagon (Room 3E175)
Washington, D. C. 20301
- 1 Dr. Glenn L. Bryan
Head, Personnel and Training Branch
Office of Naval Research
Navy Department
Washington, D. C. 20360
- 1 Instituto de Física Aplicado
"L. Torres Quevedo"
High Vacuum Laboratory
Madrid, Spain
Attn: Jose L. de Segovia
- 1 Stanford Research Institute
Attn: G-037 External Reports
(for J. Goldberg)
Menlo Park, California 94025

REVISED U. S. ARMY DISTRIBUTION LIST

(As received at the Coordinated Science Laboratory 27 July 1965)

- | | | | | | |
|----|--|---|--|---|---|
| 1 | Dr. Chalmers Sherwin
Deputy Director (Research & Technology)
DD&RE Rm 3E1060
The Pentagon
Washington, D. C. 20301 | 1 | Commanding General
Frankford Arsenal
Attn: SMUFA-1300
Philadelphia, Pennsylvania 19137 | 1 | Director
Institute for Exploratory Research
U. S. Army Electronics Command
Attn: Mr. Robert O. Parker, Executive
Secretary, JSTAC (AMSEL-XL-D)
Fort Monmouth, New Jersey 07703 |
| 1 | Dr. Edward M. Reilley
Asst. Director (Research)
Off. of Defense Res. & Eng.
Department of Defense
Washington, D. C. 20301 | 1 | U. S. Army Munitions Command
Attn: Technical Information Branch
Picatinny Arsenal
Dover, New Jersey 07801 | 1 | Commanding General
U. S. Army Electronics Command
Fort Monmouth, New Jersey 07703 |
| 1 | Dr. James A. Ward
Office of Deputy Director (Research
and Information Rm 3D1037)
Department of Defense
The Pentagon
Washington, D. C. 20301 | 1 | Commanding Officer
Harry Diamond Laboratories
Attn: Mr. Berthold Altman
Connecticut Avenue and Van Ness St., N.W.
Washington, D. C. 20438 | Attn: AMSEL-SC | |
| 1 | Director
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301 | 1 | Commanding Officer
Harry Diamond Laboratories
Attn: Library
Connecticut Avenue and Van Ness St., N.W.
Washington, D. C. 20438 | RD-D
RD-G
RD-MAF-I
RD-MAT
RD-GF
RD-MN (Marine Corps LnO)
XL-D
XL-E
XL-C
XL-S
HL-D
HL-L
HL-J
HL-P
HL-O
HL-R
NL-D
NL-A
NL-F
NL-R
NL-S
KL-D
KL-E
KL-S
KL-T
VL-D
WL-D | |
| 1 | Mr. E. I. Salkovitz, Director
for Materials Sciences
Advanced Research Projects Agency
Department of Defense
Washington, D. C. 20301 | 1 | Commanding Officer
U. S. Army Security Agency
Arlington Hall
Arlington, Virginia 22212 | | |
| 1 | Colonel Charles C. Mack
Headquarters
Defense Communications Agency (333)
The Pentagon
Washington, D. C. 20305 | 1 | Commanding Officer
U. S. Army Limited War Laboratory
Attn: Technical Director
Aberdeen Proving Ground
Aberdeen, Maryland 21005 | | |
| 20 | Defense Documentation Center
Attn: TISIA
Cameron Station, Building 5
Alexandria, Virginia 22314 | 1 | Commanding Officer
Human Engineering Laboratories
Aberdeen Proving Ground, Maryland 21005 | | |
| 1 | Director
National Security Agency
Attn: Librarian C-332
Fort George G. Meade, Maryland 20755 | 1 | Director
U. S. Army Engineer Geodesy,
Intelligence & Mapping
Research and Development Agency
Fort Belvoir, Virginia 22060 | 1 | Mr. Charles F. Yost
Special Assistant to the Director
of Research
National Aeronautics & Space Admin.
Washington, D. C. 20546 |
| 1 | U. S. Army Research Office
Attn: Physical Sciences Division
3045 Columbia Pike
Arlington, Virginia 22204 | 1 | Commandant
U. S. Army Command and General Staff College
Attn: Secretary
Fort Leavenworth, Kansas 66207 | 1 | Director
Research Laboratory of Electronics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139 |
| 1 | Chief of Research and Development
Headquarters, Department of the Army
Attn: Mr. L. H. Geiger, Rm 3D442
Washington, D. C. 20310 | 1 | Dr. H. Rohl, Deputy Chief Scientist
U. S. Army Research Office (Durham)
Box CM, Duke Station
Durham, North Carolina 27706 | 1 | Polytechnic Institute of Brooklyn
55 Johnson Street
Brooklyn, New York 11201
Attn: Mr. Jerome Fox
Research Coordinator |
| 1 | Research Plans Office
U. S. Army Research Office
3045 Columbia Pike
Arlington, Virginia 22204 | 1 | Commanding Officer
U. S. Army Research Office (Durham)
Attn: CRD-AA-1P (Richard O. Ulsh)
Box CM, Duke Station
Durham, North Carolina 27706 | 1 | Director
Columbia Radiation Laboratory
Columbia University
538 West 120th Street
New York, New York 10027 |
| 1 | Commanding General
U. S. Army Materiel Command
Attn: AMCRD-RS-PE-E
Washington, D. C. 20315 | 1 | Superintendent
U. S. Army Military Academy
West Point, New York 10996 | 1 | Director
Stanford Electronics Laboratories
Stanford University
Stanford, California 94301 |
| 1 | Commanding General
U. S. Army Strategic Communications Command
Washington, D. C. 20315 | 1 | The Walter Reed Institute of Research
Walter Reed Army Medical Center
Washington, D. C. 20012 | 1 | Director
Electronics Research Laboratory
University of California
Berkeley, California 94700 |
| 1 | Commanding Officer
U. S. Army Materials Research Agency
Watertown Arsenal
Watertown, Massachusetts 02172 | 1 | Commanding Officer
U. S. Army Electronics R&D Activity
Fort Huachuca, Arizona 85163 | 1 | Director
Electronic Sciences Laboratory
University of Southern California
Los Angeles, California 90007 |
| 1 | Commanding Officer
U. S. Army Ballistics Research Laboratory
Attn: V. W. Richards
Aberdeen Proving Ground
Aberdeen, Maryland 21005 | 1 | Commanding Officer
U. S. Army Engineers R&D Laboratory
Attn: STINFO Branch
Fort Belvoir, Virginia 22060 | 1 | Professor A. A. Dougal, Director
Laboratories for Electronics
and Related Science Research
University of Texas
Austin, Texas 78712 |
| 1 | Commanding Officer
U. S. Army Ballistics Research Laboratory
Attn: Keats A. Pullen, Jr.
Aberdeen Proving Ground
Aberdeen, Maryland 21005 | 1 | Director
Human Resources Research Office
The George Washington University
300 N. Washington Street
Alexandria, Virginia 22300 | 1 | Professor J. K. Aggarwal
Department of Electrical Engineering
University of Texas
Austin, Texas 78712 |
| 1 | Commanding Officer
U. S. Army Ballistics Research Laboratory
Attn: George C. Francis, Computing Lab.
Aberdeen Proving Ground, Maryland 21005 | 1 | Commanding Officer
U. S. Army Personnel Research Office
Washington, D. C. | 1 | Division of Engineering and Applied Physics
210 Pierce Hall
Harvard University
Cambridge, Massachusetts 02138 |
| 1 | Commandant
U. S. Army Air Defense School
Attn: Missile Sciences Division, C&S Dept.
P. O. Box 9390
Fort Bliss, Texas 79916 | 1 | Commanding Officer
U. S. Army Medical Research Laboratory
Fort Knox, Kentucky 40120 | | |
| 1 | Commanding General
U. S. Army Missile Command
Attn: Technical Library
Redstone Arsenal, Alabama 35809 | 1 | Commanding General
U. S. Army Signal Center and School
Fort Monmouth, New Jersey 07703
Attn: Chief, Office of Academic Operations | | |
| 1 | Commanding General
Frankford Arsenal
Attn: SMUFA-1310 (Dr. Sidney Ross)
Philadelphia, Pennsylvania 19137 | 1 | Dr. S. Benedict Levin, Director
Institute for Exploratory Research
U. S. Army Electronics Command
Fort Monmouth, New Jersey 07703 | | |




FIGURE 2. SINGLE-CELL RESPIROMETER SYSTEM

DOCUMENT CONTROL DATA R&D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) University of Illinois Coordinated Science Laboratory Urbana, Illinois 61801		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE AERODYNAMIC TORQUE ON A SPINNING SPHERICAL SATELLITE		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial) Karr, Gerald R.		
6. REPORT DATE January, 1966	7a. TOTAL NO. OF PAGES 15	7b. NO. OF REFS. 6
8a. CONTRACT OR GRANT NO. DA 28 043 AMC 00073(E)	9a. ORIGINATOR'S REPORT NUMBER(S) R-275	
b. PROJECT NO. 20014501B31F Also National Aeronautics and Space Administration under Grant d. NSG 443.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. AVAILABILITY/ LIMITATION NOTICES Qualified requesters may obtain copies of this report from DDC. This report may be released to OTS.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY U. S. Army Electronics Command Ft. Monmouth, New Jersey 07703	
13. ABSTRACT Calculations have revealed that a spinning spherical satellite moving through a rarefied atmosphere experiences precessional torque as well as the expected "slow down torque." The objective of this investigation is to determine the angular displacement of a gyroscopic satellite due to aerodynamics for comparison with the small angular displacement due to a general relativity effect described by Schiff. The analysis has shown that the directional movement of the spin axis due to aerodynamic effect is of such magnitude as to dictate the altitude at which the relativity experiment must be orbited in order to reduce the angular displacement in comparison with the 5 to 7 sec of arc per year expected from the Schiff effect. Also of great importance is the finding that measurements of the satellite spin axis movement due to aerodynamics could be used for accurate determination of the molecular accommodation coefficient in the orbital environment. Studies are being made to determine the best way to utilize this new method to measure the accommodation coefficient under actual orbital conditions. Through the use of various material surfaces, surface temperature, and surface roughness, a series of experiments to study gas-surface interactions could be designed.		